




# ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D;  
HUNTSVILLE AL 35824  
TEL: (256) 772-7500 / FAX 772-7555

## STANDARD POINTERS

Our standard illuminated pointers are high-quality components for vehicle instrumentation and other related applications.





# ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D;  
HUNTSVILLE AL 35824  
TEL: (256) 772-7500 / FAX 772-7555

## STANDARD POINTERS

ARM LENGTH	PART NUMBER	STEM	HEIGHT WITH CAP	CAP	COLOR	PACK SIZE
17mm	30588	9.55mm	14.55mm	12mm	White	205 / tray – 4920 / box
17mm	31013	13.8mm	18.8mm	12mm	Orange LISA	200 / tray – 3200 / box
17mm	31353	9.55mm	14.55mm	12mm	Orange	205 / tray – 4920 / box
17mm	33582	13.8mm	18.8mm	12mm	Dark Red	200 / tray - 3200 / box
17mm	32518	13.8mm	18.8mm	12mm	White	200 / tray – 3200 / box
19.8mm	31555	4.5mm	9.5mm	12mm	White	205 / tray – 4920 / box
19.8mm	32289	4.5mm	9.5mm	12mm	Red LISA	205 / tray – 4920 / box
25mm	29867	4.5mm	9.5mm	12mm	White	205 / tray – 4920 / box
25mm	30202	4.5mm	9.5mm	12mm	Orange	205 / tray – 4920 / box
25mm	31017	13.8mm	18.8mm	12mm	Orange LISA	200 / tray – 3200 / box
25mm	31243	14.5mm	19.5mm	12mm	White	200 / tray – 3200 / box
25mm	31423	14.5mm	19.5mm	12mm	Orange	200 / tray - 3200 / box
25mm	32116	13.8mm	18.8mm	12mm	White	200 / tray – 3200 / box
25mm	31726	4.5mm	9.5mm	12mm PC	Orange LISA	205 / tray – 4920 / box
25mm	31994	4.5mm	9.5mm	12mm	Red LISA	205 / tray – 4920 / box



# ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D; HUNTSVILLE AL 35824

TEL: (256) 772-7500 / FAX 772-7555

## STANDARD POINTERS

ARM LENGTH	PART	STEM	HEIGHT WITH	CAP	COLOR	PACK SIZE
34mm	29886	4.5mm	9.5mm	12mm	White	205 / tray – 4920 / box
34mm	30204	4.5mm	9.5mm	12mm	Orange	205 / tray – 4920 / box
34mm	30584	9.55mm	14.55mm	12mm	White	205 / tray – 4920 / box
34mm	31021	13.8mm	18.8mm	12mm	Orange LISA	200 / tray – 3200 / box
34mm	34064	13.8mm	18.8mm	12mm	White	200 / tray – 3200 / box
34mm	34066	13.8mm	18.8mm	12mm	Red LISA	200 / tray – 3200 / box
34mm	30573	4.5mm	9.5mm	12mm	Red LISA	205 / tray – 4920 / box
34mm	31800	4.5mm	9.5mm	12mm PC	Orange LISA	205 / tray – 4920 / box
34mm	32539	13.8mm	18.8mm	12mm PC	Red	200 / tray – 3200 / box
34mm	35270	9.55mm	14.55mm	12mm	Red LISA	205 / tray – 2460 / box
44mm	30200	4mm	10mm	15mm	Orange	148 / tray – 3552 / box
44mm	31247	14.5mm	19.5mm	12mm	White	148 / tray – 1776 / box
44mm	31355	14.5mm	19.5mm	12mm	Orange	148 / tray – 1776 / box
44mm	33585	14.5mm	19.5mm	12mm	Dark Red LISA	148 / tray – 1776 / box
44mm	31357	9.55mm	14.55mm	12mm	Orange	99 / tray – 1188 / box
44mm	31801	4mm	10mm	15mm PC	Orange LISA	148 / tray – 3552 / tray



# ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D; HUNTSVILLE AL 35824

TEL: (256) 772-7500 / FAX 772-7555

## STANDARD POINTERS

ARM LENGTH	PART NUMBER	STEM	HEIGHT WITH CAP	CAP	COLOR	PACK SIZE
44mm	32015	4.5mm	10mm	12mm	Red LISA	148 / tray – 3552 / box
44mm	32606	4.5mm	9.5mm	12mm PC	White	148 / tray – 3552 / box
44mm	29866	4mm	10mm	15mm	White	148 / tray – 3552 / box



# ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D; HUNTSVILLE AL 35824

TEL: (256) 772-7500 / FAX 772-7555

## STANDARD POINTERS - OPTIONS

<b>ARM LENGTH</b>	<b>STEM LENGTH</b>	<b>STEM LENGTH</b>	<b>CAP SIZES</b>
From center of cap to tip of pointer arm	Using 12mm Cap From bottom of stem to bottom of cap	Using 15mm Cap From bottom of stem to bottom of cap	
17mm	13.80mm	4mm	12mm Diameter 5mm Cap Height
19.8mm	9.55mm		15mm Diameter 6mm Cap Height
25mm	4.5mm		
34mm	14.5mm		
44mm			



## ISM INTERNATIONAL

125 ELECTRONICS BLVD., SUITE D; HUNTSVILLE AL 35824

TEL: (256) 772-7500 / FAX 772-7555

### STANDARD POINTERS - DETAILS

- ALL POINTER STEMS AND ARMS CAN BE USED WITH THE 12mm CAP
- ONLY THE 44mm POINTER ARM CAN BE USED WITH THE 15mm CAP
- MULTIPLE COLOR OPTIONS ARE AVAILABLE FOR AN ADDITIONAL COST
- HEIGHT WITH CAP IS MEASURED FROM THE BOTTOM OF STEM TO TOP OF CAP
- STEM LENGTH IS MEASURED FROM BOTTOM OF STEM TO BOTTOM OF CAP